



# Angiodroid The CO<sub>2</sub> Injector

Automated Carbon Dioxide Angiography 



angiodroid

ACDA


AUTOMATED  
CARBON  
DIOXIDE  
ANGIOGRAPHY

# WHEN to use ACDA?


		Albuminuria (mg/g)		
		< 30	30-299	> 300
eGFR (ml/min/m <sup>2</sup> )	> 90			
	60 – 90			
	45 – 59			
	30 – 44			
	15 – 29			
	< 15			

	<b>ACDA to avoid CIN risk</b>
	<b>ACDA suggested</b>
	<b>ACDA recommended</b>
	<b>ACDA strongly recommended</b>
	<b>ACDA UNIQUE Option</b>



**No Contrast Induced Nephropathy Risk**




**No hepatotoxicity**



**No Allergic reactions**

# Carbon Dioxide is the **Only Safe Contrast Agent** for patients with:

- ✓ Renal Failure
- ✓ Creatinine > 1.5 mg/dl
- ✓ eGFR < 60 ml/min/1.73 m<sup>2</sup>
- ✓ Allergy
- ✓ Diabetes
- ✓ Hypertension



Iodinated contrast agents can cause further deterioration of residual renal function.

CO<sub>2</sub> angiography is an effective alternative, without the risk of further impairment of renal function. CO<sub>2</sub> angiography has a sensitivity of 97% and a specificity of 85%.

Due to the acceptable results of CO<sub>2</sub> angiography and the potential risk of NSF, gadolinium enhanced DSA is no longer indicated.



diaphragm

## ARTERIES

CO<sub>2</sub> can be used in all districts below the diaphragm



**HEPATIC ARTERY**



**EVAR**



**EMBOLIZATION TACE**



**AORTOGRAPHY ILIAC**



**SMA**



**SFA - POP**



**RENAL ARTERIES**




**BTK**




**GI BLEEDING AND TRAUMA**




**FOOT**




**Aortography**




**Aortic Bifurcation**




**Renal Arteries**




**BTK**




**TACE**



**Hepatic Artery**



**SFA**



**Foot**



## VEINS

---

Also the peripheral venous system is investigable with CO<sub>2</sub>

✓ SUBCLAVIAN VEIN

✓ BASILIC VEIN

✓ CEPHALIC VEIN

✓ ILIAC VEIN

✓ RADIAL VEIN


✓ GREAT SAPHENOUS VEIN

✓ AV SHUNT PHLEBOGRAPHY


✓ SMALL SAPHENOUS VEIN

✓ TIPS


✓ POPLITEAL VEIN




**Subclavian Vein**




**Basilic Vein**




**AV shunt**




**Radial Vein**




**Cephalic Vein**



**Iliac Vein**



**Arm Stent**




**TIPS**



### **HIGH ACCURACY**

For CO<sub>2</sub> dose and injection pressure



### **HIGH PERFORMANCE**

More than 400 procedures with an integrated 2L CO<sub>2</sub> cylinder



### **COMPLETELY SAFE**

Internal positive pressure prevents air contamination

### **MAXIMUM SPEED**

Injector ready in 6 seconds



### **IMPROVED SAFETY**

Inject with remote controller, up to 15 meters away



### **ALWAYS READY**

Standardize your work with unique protocols





## 1st Automated Injection System for CO<sub>2</sub> Angiography

Last Injection: 00:00:00

**VOLUME** 40 ml

**FLUSH** 10 ml

**PRESSURE** 200 mmHg  
27 KPa

Reload

angiodroid

SET

Last Injection: 00:00:00

**INJECTOR READY**

**FLUSH** 10 ml

**INJECTION PARAMETERS**

VOLUME 40 ml  
PRESSURE 150 mmHg  
20 KPa

angiodroid

Stop Reload

INJECT

Last Injection: 00:01:45

BODY DISTRICT	V (ml)	P (mmHg)	P (KPa)	Flush (ml)
AORTA/PELVIS	60	500	67	15
EVAR / FEVAR	100	650	87	15
ILIAC ARTERY	40	350	47	15
RENAL ARTERY	40	300	40	15
ABOVE THE KNEE	20	250	33	0
BELOW THE KNEE	30	250	33	15
MICROCATHETER	40	500	67	15
SUBCLAVIAN VEIN	50	300	40	0
TIPS	100	700	93	15

angiodroid

SAVE


**PROCEDURE RESUME**

Executed injections	2
Total injection volume	110 ml
Total injected flush volume	10 ml
Total injected CO <sub>2</sub>	100 ml
Average injection volume	50.0 ml
Average injection pressure	150.0 mmHg

angiodroid


REVIEW

## *Zero Contrast Procedure*



### **SAVE COST**

Avoid iodine and related complications (e.g. CIN risk and adverse reactions).



### **EXCELLENT IMAGING**

ACDA ensures optimum CO<sub>2</sub> image quality and complete injection management.




### **IMPROVED SAFETY**



Inject remotely to reduce X-ray dose even from the control room.

## Makes the *Difference*

ACDA as  
**Standard  
Imaging  
Option**



**SEE MORE**



**SAVE ICM**



**SAVE KIDNEYS**

Images courtesy of Dr. P. Sbarzaglia.



# angiodroid

## ACDA

AUTOMATED  
CARBON  
DIOXIDE  
ANGIOGRAPHY



[www.angiodroid.com](http://www.angiodroid.com)

© Angiodroid. All rights reserved. Reproduction of this document is strictly prohibited without express written consent of Angiodroid Srl. Angiodroid The CO<sub>2</sub> Injector is a registered trademark of Angiodroid Srl. This document refers only to the placing on the market in the countries of the European Economic Community. In accordance with data privacy and protection laws in the European Union and other countries, all patient data that appear in this document are fictitious. No actual patient information is shown.  
Rev.2 01-2021